EBA **6040**



← 41 cm →

High-capacity shredder with large feeding table and conveyor belt.

Level P-2 6 mm strip cut (S)
Sheet capacity*: 90-110 / 75-95

Level P-3 6 x 50 mm particle cut (C)

Sheet capacity*: 80-90 / 68-78



* A4 paper 70 g/m² | 80 g/m²

Technical specifications

Volume	300 litres (disposable plastic bag)
Power	400 V / 50 Hz / 3 ~**
Motor capacity	4 kW 3 kW three phase motor

** other voltages available



Dimensions	1440 x 1240 x 1700 mm (H x W x D)
Weight	350 kg
ID-No.	11410701 (strip cut)
	11410702 (particle cut)

GS certificate-No. DP 12089

Product characteristics

With high shred speed for efficient shredding. Easy-to-use control panel with push buttons for forward/stop/reverse. Safety lock and key, main switch and emergency cut-off switch. Automatic cut-off in case of a paper jam. Optical indicators for the operational status of the shredder. Robust shredding heads with special hardened cutting shafts made of high-quality steel, resistant against soft metal objects. Centralised oiler for effective and convenient lubrication of the shredding head. Powerful three phase motors (4.0 kW for strip cut model, 3.0 kW for particle cut model). Thermal motor protection. Large shred compartment with door on the rear side of the machine. Plastic bag suspension with pull-out mechanism on wheels for easy removal of the full bag. High volume bag for the shredded material. Automatic cut-off when shred bag is full or the door is open. Mobile on castors. Convenient transportation width of 690 mm (without side tables). Two years guarantee on the cutting tools.



EBA 6040

Features



CONTROL PANEL

Ergonomically placed control panel with push buttons for forward / stop / reverse and optical indicators for the operational status of the shredder.



CONVEYOR BELT

The conveyor belt system guarantees a high work speed without creating paper jams. Also crumpled paper can be fed into the shredding head without problems.



PULL-OUT BAG SUSPENSION

Pull-out mechanism on wheels for easy removal of the full shred bag (300 litres volume) at the rear of the machine.



EASY LUBRICATION

A centralised oiler for easy lubrication of the cutting head is standard equipment on this high-capacity shredder.















certificate no. **DP 12089** dated 09.07.2012



Fachbereich Energie Textil Elektro Medienerzeugnisse

European notified body Identification number 0739

GS Test Certificate

Name and address of the holder of the certificate:

(customer):

Krug & Priester GmbH & Co.KG Simon-Schweitzer-Straße 34

D-723369 Balingen

Name and address of the

Manufacturer:

see above

Product designation: Paper Shredder

Type: 11410701, 11410702

Testing based on: 2006/42/EG Machinery Directive 06/2006

EN 60204-1: 2006/A1:2009 Safety of machinery - Electrical equipment

of machines; Part 1: General requirements

EN ISO 13849-1:2008 Safety of machinery - Safety related parts of

control systems - Part 1: General principles for design

EN 1010-1:2004+A1:2010 Safety of machinery – Safety requirements for the design and construction of printing and paper converting

machines; Part 1: common requirements

Remarks: This GS Test Certificate replaces the GS Test Certificate

DP 12089 dated 25.06.2012.

The type tested meets the requirements specified in article 21 para. 1 of the German Product Safety Act. The holder of the certificate is entitled to affix the GS mark shown overleaf to the products complying with the type tested. At that, the holder of the certificate shall observe the conditions specified overleaf.

The present certificate including the right to affix the GS mark is valid until: 24.06.2017

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of September 2010.



Postal address: Postfach • D-65173 Wiesbaden • Office: Rheinstr. 6-8 • D-65185 Wiesbaden Phone: +49 (0) 611/131-8219 • E-Mail: pruefstelle-dp@bgetem.de 612.17-Sw/Ds • Test report: A 11034 • Produktschlüsselnummer: 000.1001